



MINUS Dimmable Power Supply (3-5 Fixtures)

Minus UNV Dimmable Power Supply - The Minus Power supply can power 3-5 European type Minus fixtures (12.5W) and is dimmable via phase dimming and features short circuit protection, overheat and overload protection.

Technical Data

- Input Voltage: 220-240Vac - 50/60Hz
- Input Current: 450mA
- Input Power: 73W
- Inrush Current: 5A/100µs

- Output Current: 1000mA +/- 5%
- Output Voltage: 30-65V DC
- Rated Power: 30-65W

- Dimming Protocol: Leading-trailing edge
- Ambient Temperature: -20°C - +45°C
- Case Temperature Max: 85°C
- Efficiency: typ. 87% @230Vac /65W
- Power factor (λ): typ. 0,9 @230Vac /65W

- Protection Mechanism: short circuit, over load, over temperature
- No, Hot plug-in or secondary switching of LEDs

Installation/ Wiring:

- Please see attached wiring diagram.
- Installation requires wire AWG 20-15 / 0,5-1,5mm²

Product Details

- Dimensions: 166mm x 50mm x 32mm
- Weight: 190g
- Screw Hole Dimension: 155x39mm

Listings / Certifications

- Safety Class: II
- Protection Class: IP20
- SELV
- CE Rated

ORDERING INFORMATION

IP20 **SELV CE**

SERIES NO.	MODEL	TYPE	REGION
AA3 - Minus Series	2205 - Minus Two	D- DC output	EU - Euro/Int'l
AA3-2205-D-EU			

ORDERING EXAMPLE AA3-2205-D-EU